

Doc Code: AP.PRE.REQ

PTO/SB/33 (07-09)

Approved for use through 07/31/2012. OMB 0651-0031
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

PRE-APPEAL BRIEF REQUEST FOR REVIEW		Docket Number (Optional) 2003P13562WOUS											
I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to "Mail Stop AF, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450" [37 CFR 1.8(a)] on _____ Signature _____ Typed or printed name _____	Application Number 10/574,172	Filed October 25, 2006											
	First Named Inventor Rainer Uecker												
	Art Unit 2456	Examiner Hua Fan											
<p>Applicant requests review of the final rejection in the above-identified application. No amendments are being filed with this request.</p> <p>This request is being filed with a notice of appeal.</p> <p>The review is requested for the reason(s) stated on the attached sheet(s). Note: No more than five (5) pages may be provided.</p> <p>I am the</p> <table border="0"><tr><td><input type="checkbox"/> applicant/inventor.</td><td>/Ralph G. Fischer/</td></tr><tr><td><input type="checkbox"/> assignee of record of the entire interest. See 37 CFR 3.71. Statement under 37 CFR 3.73(b) is enclosed. (Form PTO/SB/96)</td><td>Signature Ralph G. Fischer</td></tr><tr><td><input type="checkbox"/> attorney or agent of record. Registration number _____</td><td>Typed or printed name 412-392-2121</td></tr><tr><td><input checked="" type="checkbox"/> attorney or agent acting under 37 CFR 1.34. Registration number if acting under 37 CFR 1.34 <u>55,179</u></td><td>Telephone number August 17, 2009</td></tr><tr><td></td><td>Date</td></tr></table> <p>NOTE: Signatures of all the inventors or assignees of record of the entire interest or their representative(s) are required. Submit multiple forms if more than one signature is required, see below*.</p>				<input type="checkbox"/> applicant/inventor.	/Ralph G. Fischer/	<input type="checkbox"/> assignee of record of the entire interest. See 37 CFR 3.71. Statement under 37 CFR 3.73(b) is enclosed. (Form PTO/SB/96)	Signature Ralph G. Fischer	<input type="checkbox"/> attorney or agent of record. Registration number _____	Typed or printed name 412-392-2121	<input checked="" type="checkbox"/> attorney or agent acting under 37 CFR 1.34. Registration number if acting under 37 CFR 1.34 <u>55,179</u>	Telephone number August 17, 2009		Date
<input type="checkbox"/> applicant/inventor.	/Ralph G. Fischer/												
<input type="checkbox"/> assignee of record of the entire interest. See 37 CFR 3.71. Statement under 37 CFR 3.73(b) is enclosed. (Form PTO/SB/96)	Signature Ralph G. Fischer												
<input type="checkbox"/> attorney or agent of record. Registration number _____	Typed or printed name 412-392-2121												
<input checked="" type="checkbox"/> attorney or agent acting under 37 CFR 1.34. Registration number if acting under 37 CFR 1.34 <u>55,179</u>	Telephone number August 17, 2009												
	Date												

☐ *Total of _____ forms are submitted.

This collection of information is required by 35 U.S.C. 132. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.11, 1.14 and 41.6. This collection is estimated to take 12 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Mail Stop AF, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

Claims 16, 21 And 24-27 Are Allowable Over Etsuo Combined With Okada

Claim 16 defines a method that includes the step of assigning a unique identifier to the message that indicates that a message to be relayed is on the sender data terminal. The identifier includes a plurality of subidentifiers, each of which is assigned to at least one message element contained in a relayed message. The defined method of claim 16 also includes the step of sending a test message including the subidentifiers from a first mail processing device to a second mail processing device assigned to a recipient address data terminal. The method of claim 16 also includes the step of evaluating in the second mail processing device the test message sent by the first mail processing device. The evaluating is configured to process each subidentifier in the test message relative to data present in the second mail processing device indicative of respective message elements previously relayed to the recipient address data terminal.

The method of claim 16 also includes the step of sending an evaluation-result of the test message from the second mail processing device to the first mail processing device. The evaluation-result of the test message indicating to the first mail processing device to transmit message elements evaluated as not previously relayed to the recipient address data terminal to the second mail processing device and further indicating to block message elements evaluated as previously relayed to the recipient address data terminal from being transmitted to the second mail processing device.

The method of claim 16 also includes the step of transmitting or blocking a transmission of respective ones of the message elements to the second mail processing device in response to the evaluation-result of the test message. The transmitting or blocking of respective ones of the message elements is in response to the evaluation-result of the test message and is configured to suppress a duplicative reception by the recipient address data terminal of a message element present in a message previously received by the recipient address. The transmitting or blocking is also configured to ensure that an amended message element of a message element present in the previously received message is transmitted to the recipient address.

Claims 21 and 24-27 depend directly or indirectly from claim 16 and, therefore, also contain the limitations of claim 16.

Etsuo Combined With Okada Does Not Teach Or Suggest Sending A Test Message Including The Subidentifiers From A First Mail Processing Device To A Second Mail Processing Device Assigned To A Recipient Address Data Terminal

The Examiner correctly reads Etsuo as not disclosing the sending of a test message that includes subidentifiers as required by claims 16, 21 and 23-27. (Office Action, at 6). The Examiner contends that Okada discloses or suggests such a limitation. (Office Action, at 6). The Examiner has incorrectly interpreted Okada.

Okada teaches an electronic mail composing device that has an editing unit for editing electronic mail by setting either to attach content of at least one attachment file or to notify only a title of the attachment file. (§ 8). Such an email as taught by Okada is not a test-message. Nor is the electronic message sent from one communication device 1 to another communication device 2 a message sent from one mail processing device to another mail processing device.

A test message is a message that is sent from one processing device to another processing device that includes identifiers to indicate that provides indicators indicating different elements of a message to be sent to a recipient. However, the "Contents of the message elements are not also sent." Thus, the body of text within an email is not sent via a test message. To the contrary, identifiers representing different elements within a message are sent in a test message.

The message disclosed by Okada is not a test message. To the contrary, the message taught by Okada contains text from within the body of an electronic message. Indeed, all the content of the electronic message is sent other than an attached file. (§10). Such a message cannot be considered a test message. To the contrary, it is an electronic message.

**Okada Does Not Teach Or Suggest Test Message
Transmissions Between First and Second Mail Processing Devices**

Further, the test messages of claims 16, 21 and 23-27 are sent from a first mail processing device to a second mail processing device. Such devices are not user terminals. To the contrary, such devices are mail servers or other mail processing devices.

Okada does not teach or suggest that a test message is sent between mail processing devices. Okada only teaches or suggests the sending of an email without an attachment from one terminal (communication device 1) to a second terminal (communication device 2) via a mail server (mail server 3). (Figure 1, ¶¶ 19-23). Okada does not teach or suggest any test message transmitted between mail processing devices.

**Etsuo Combined With Okada Does Not Teach Or Suggest Sending An
Evaluation-Result Of The Test Message From A Second Mail Processing Device**

The Examiner also cited Okada as disclosing the sending of an evaluation-result of the test message from a second mail processing device to a first mail processing device. (Office Action, at 6). To the contrary, Okada does not teach any mail processing device evaluating a test message. As discussed above, Okada does not teach or suggest any test message and also does not teach or suggest the sending of a test message from a first mail processing device to a second mail processing device.

Further, Okada does not teach or suggest a second mail processing device evaluating a test message nor sending an evaluation-result of a test message. Okada only discloses a second communication device, or user terminal, that receives an electronic message that includes a link to an attachment file. The attachment file may then be received by the user terminal if that user requests the file by accessing the link. (¶¶ 26-27).

**Etsuo Combined With Okada Does Not Teach Or Suggest Transmitting
Or Blocking A Transmission Of Respective Ones Of The Message Elements**

The Examiner also contends that only Okada teaches or suggests the transmitting or blocking of a transmission of respective ones of the message elements to a second mail processing device in response to an evaluation-result of the test message. (Office Action, at 6). To the contrary, Okada does not teach or suggest any evaluation by a second mail processing device nor the sending of an evaluation-result by a second mail processing device.

Moreover, Okada does not teach or suggest the blocking or transmission of respective ones of the message elements to a second mail processing device. Okada teaches that a

communication device, such as a user terminal, edits an email to replace an attachment file with the title of that file that includes a link that permits the sending of a forwarding demand. (¶¶ 22, 24, 26-27). The attachment file is not initially sent in such an electronic message because it is replaced with the link by an editing unit 12 that is in the communication device 1. (¶¶ 20-22).

There is no blocking of any message element by a mail processing device taught or suggested by Okada. To the contrary, Okada only teaches that the replacement of an attachment file with a title linked for permitting forwarding requests is provided by an editing unit 12 of a communication device 1, or user terminal. (¶¶ 20-22). As discussed above, a mail processing device is not a terminal such as the communication device 1 taught by Okada.

Okada Cannot Be Combined With Etsuo

Etsuo discloses a device that requires a mail processing device, such as mail server 300, to determine whether or not an electronic message it received from a client has the exact same text as a previous email sent from that client to another client. If the exact same text is present, the mail server 300 issues a no reception notice to the addressed client so that client does not receive the notices for electronic mails containing the identical text. (Etsuo - English translation Abstract, p. 10, lines 15-22.) The system disclosed by Etsuo requires the use of a mail server and requires all the processing to be done by just one mail server to determine if that email was previously sent to another client. (Etsuo - English translation p. 13, lines 2-8). There is no interaction with a second mail processing device. Nor is there any test message or evaluation-result messages transmitted in the system disclosed by Etsuo.

In contrast to the system disclosed by Etsuo, Okada requires an email to avoid having an attachment by an editing unit of a communication device 1 removing the attachment and replacing it with a linked title. (Okada, ¶¶ 20-2, 24, 26-27). The system disclosed by Okada requires a mail server to not be used for such replacement. Further, the system disclosed by Okada requires that the attached file and all the processing occurs locally on the communication device 1.

Changing the system disclosed by Okada to interact with the mail server to block transmission of message elements impermissibly modifies the principle of operation of the invention of Okada, the local editing unit 12. This is impermissible. MPEP § 2143.01 ("[i]f the proposed modification or combination of the prior art would change the principle of operation of

the prior art invention being modified, then the teachings of the references are not sufficient to render the claims prima facie obvious.").

Okada And Etsuo Teach Away From The Claims

Further, Etsuo and Okada both clearly teach away from the claims. Neither Okada nor Etsuo teach the use of any test message sent between mail processing devices nor an evaluation result sent between the mail processing devices. Indeed, both Okada and Etsuo only teach a system that utilizes one mail processing device, a mail server.

Moreover, both Okada and Etsuo, teach that only one device is involved in determining whether to not transmit an attached file (Okada) or whether to not transmit a reception notice (Etsuo). The system of Etsuo utilizes a server that determines whether an email receipt notice should not be sent to a client. (Etsuo - English translation p. 36, lines 3-18; p. 40, lines 20-22). The system of Okada uses an edit device 12 of a communication device to determine whether to send or not send an attachment file. Such systems teach away from the sending of test messages to a second mail processing device and also teach away from the use of any evaluation of test messages or sending of an evaluation result by a second mail processing unit. Indeed, both Okada and Etsuo teach that only one mail processing device should be used to achieve the functionality provided in their systems.

Clearly the combination of Etsuo and Okada cannot render the pending claims 16, 21, and 24-27 obvious. In fact, this combination of art clearly teaches away from the claimed method.

Claims 28-30 Are Allowable Over Etsuo Combined With Okada

As discussed above with reference to claims 16, 21 and 23-27, the cited art fails to teach or suggest sending of test messages, sending evaluation results of test messages, and also fails to teach or suggest the transmission or block of respective ones of message elements. Nor does the cited art teach or suggest a network that has network elements configured to perform such functions as required by claims 28-30. Therefore, Etsuo combined with Okada cannot render the pending claims obvious.